

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

### SECTION 1. IDENTIFICATION

Product name : Meth-O-Gas® Q  
Product code : 00000000058318313  
EPA registration number : 5785-41

#### Manufacturer or supplier's details

Company : LANXESS Corporation  
Product Safety & Regulatory Affairs  
111 RIDC Park West Drive  
15275-1112 Pittsburgh, United States of America

Responsible Department : +1800LANXESS

Emergency telephone : Chemtrec (800) 424-9300  
International (703) 527-3887  
Lanxess Emergency Phone (800) 410-3063

#### Recommended use of the chemical and restrictions on use

Recommended use : Fumigant

Restrictions on use : Restricted to professional users.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Flammable gases : Category 1

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 3

Skin irritation : Category 2

Eye irritation : Category 2A

Germ cell mutagenicity : Category 2

Specific target organ toxicity : Category 3 (Respiratory system)  
- single exposure

Specific target organ toxicity : Category 2 (Central nervous system, muscle)  
- repeated exposure

# SAFETY DATA SHEET

## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

### GHS label elements

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: Extremely flammable gas.  
Toxic if swallowed or if inhaled.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause respiratory irritation.  
Suspected of causing genetic defects.  
May cause damage to organs (Central nervous system, muscle) through prolonged or repeated exposure.

Precautionary Statements

: **Prevention:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.  
Wash skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.  
IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/ attention.  
If skin irritation occurs: Get medical advice/ attention.  
If eye irritation persists: Get medical advice/ attention.  
Take off contaminated clothing and wash before reuse.  
Leaking gas fire: Do not extinguish, unless leak can be stopped safely.  
Eliminate all ignition sources if safe to do so.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

### Disposal:

Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Pure substance

Substance name : methyl bromide

### Components

Chemical name	CAS-No.	Concentration (% w/w)
bromomethane	74-83-9	>= 90 - <= 100

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

## SECTION 4. FIRST AID MEASURES

- If inhaled : Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
If not breathing, give artificial respiration.  
Call a physician or poison control center immediately.  
If breathing is difficult, give oxygen.  
Keep respiratory tract clear.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.  
Call a physician or poison control center immediately.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician or poison control center immediately.  
Rinse mouth with water.  
If victim is fully conscious, give a cupful of water.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Never give anything by mouth to an unconscious person.  
Do not give milk or alcoholic beverages.

### Most important symptoms and effects, both acute and delayed

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

- Symptoms** : Symptoms may be delayed.  
Dizziness  
Blurred vision  
Weakness  
Staggering gait  
Nausea  
Vomiting  
Loss of appetite  
Effects of breathing high concentrations of vapor may include:  
Convulsions  
Lung edema  
Lack of coordination  
Fatigue  
corrosive effects
- : Inhalation may provoke the following symptoms:  
Nausea  
Vomiting  
Unconsciousness  
Eye: Causes irritation with symptoms of reddening, tearing, stinging, and swelling.  
Skin: Causes irritation with symptoms of reddening, itching, and swelling.  
Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
- Effects** : Toxic if swallowed or if inhaled.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause respiratory irritation.  
Suspected of causing genetic defects.  
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders** : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician** : For specialist advice physicians should contact the Poisons Information Service.  
For specialist advice physicians should contact the Poisons Information Service.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media** : Carbon dioxide (CO<sub>2</sub>)
- Specific hazards during fire fighting** : Do not allow run-off from fire fighting to enter drains or water courses.  
Burning produces obnoxious and toxic fumes.
-

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

- Container may explode if heated.
- Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Halogenated compounds
- Further information : Use water spray to cool unopened containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.  
Material can create slippery conditions.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.  
Avoid release to the environment.  
The product should not be allowed to enter drains, water courses or the soil.
- Methods and materials for containment and cleaning up : Allow to evaporate.

---

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Use explosion-proof equipment.  
Keep away from sources of ignition - No smoking.
- Advice on safe handling : Do not breathe vapors or spray mist.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
No special handling advice required.  
Do not smoke.  
Take precautionary measures against static discharges.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

regulations.

Conditions for safe storage : Keep container tightly closed.  
Keep in a dry, cool and well-ventilated place.  
Store in upright position only.  
Store locked up.

Prevent unauthorized access.  
No smoking.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : Stable under recommended storage conditions.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
bromomethane	74-83-9	TWA	1 ppm	ACGIH
		C	20 ppm 80 mg/m <sup>3</sup>	OSHA Z-1

**Engineering measures** : Use local ventilation to keep levels below established threshold values.  
Adequate general ventilation is recommended when handling to control airborne levels.  
Do not use in areas without adequate ventilation.  
Use mechanical ventilation for general area control.

#### Personal protective equipment

Respiratory protection : If the concentration of methyl bromide as measured by detector tube exceeds 5 ppm at any time, all persons must wear NIOSH/MSHA approved SCBA.  
A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Hand protection

Remarks : Before removing gloves clean them with soap and water.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Request information on glove permeation properties from the glove supplier.

Eye protection : Full face shield or safety glasses with brow and temple

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

- shields. Do NOT wear goggles.
- Skin and body protection : Loose-fitting or well ventilated long-sleeved shirt and long pants and shoes\* and socks. Do NOT wear jewelry, tight clothing, rubber protective clothing or rubber boots when handling.  
For personal hygiene purposes, use adequate clothing to prevent skin contact.
- Protective measures : These recommendations apply to the product as supplied. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
- Hygiene measures : Use the appropriate detector tubes and pumps for determining methyl bromide air concentrations.  
Make sure piping is empty before doing maintenance work. All persons working with methyl bromide should be trained in the hazards, use of required respirator equipment, emergency procedures and in the proper use of methyl bromide as a fumigant where applicable.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : gas
- Physical state : gaseous
- Color : colorless
- Odor : odorless
- Odor Threshold : No data available
- pH : Not applicable
- Melting point/freezing point : No data available
- Boiling point/boiling range : 38.5 °F / 3.6 °C
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Self-ignition : No data available
- Burning number : No data available

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

Upper explosion limit / Upper flammability limit : 15 %(V)

Lower explosion limit / Lower flammability limit : 10 %(V)

Vapor pressure : 1,866.5 hPa (68 °F / 20 °C)  
3,466.4 hPa (104 °F / 40 °C)

Relative vapor density : 3.27

Relative density : 1.7 (32 °F / 0 °C)

Density : No data available

Solubility(ies)  
Water solubility : 17.5 g/l (68 °F / 20 °C)

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Self-Accelerating decomposition temperature (SADT) : No data available

Viscosity  
Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : No data available

Oxidizing properties : No data available

Dust explosion class : No data available

Metal corrosion rate : No data available

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Stable under recommended storage conditions.  
No decomposition if used as directed.



# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

Conditions to avoid : Heat, flames and sparks.  
Extremes of temperature and direct sunlight.

Incompatible materials : Aluminum  
Zinc  
Alkali metals  
Strong bases

Hazardous decomposition products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Hydrogen halides

---

### SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

#### Acute toxicity

Toxic if swallowed or if inhaled.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 104 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 700 ppm  
Exposure time: 4 h  
Test atmosphere: gas  
Method: Calculation method

#### Components:

##### **bromomethane:**

Acute oral toxicity : LD<sub>50</sub> (Rat): 214 mg/kg  
LD<sub>50</sub> (Rat): 104 mg/kg

Acute inhalation toxicity : Assessment: The component/mixture is toxic after short term inhalation.

#### **Skin corrosion/irritation**

Causes skin irritation.

#### Components:

##### **bromomethane:**

Result : Irritating to skin.

#### **Serious eye damage/eye irritation**

Causes serious eye irritation.

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

### Components:

#### **bromomethane:**

Result : Irritating to eyes.

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### **Germ cell mutagenicity**

Suspected of causing genetic defects.

### Components:

#### **bromomethane:**

Germ cell mutagenicity - Assessment : In vitro tests showed mutagenic effects

### **Carcinogenicity**

Not classified based on available information.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Not classified based on available information.

#### **STOT-single exposure**

May cause respiratory irritation.

### Components:

#### **bromomethane:**

Assessment : May cause respiratory irritation.

#### **STOT-repeated exposure**

May cause damage to organs (Central nervous system, muscle) through prolonged or repeated exposure.

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

### Components:

#### **bromomethane:**

Target Organs : Central nervous system, muscle  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

#### Product:

Remarks : Methyl bromide is a poison and can cause respiratory distress, cardiac arrest and central nervous system effects. Overexposure may cause neurotoxic effects from which recovery may be slow.

Methyl bromide demonstrates genotoxicity in several test systems at levels above the TLV.

In a two year inhalation cancer bioassay with rats at 3, 30 and 90 ppm no tumors were observed.

In a two generation inhalation reproduction study with rats at 3, 30 and 90 ppm the no observed effect level was 3 ppm. At the higher doses organ weight variation was observed in some offspring.

In a 24 month chronic dietary study in rats, a no observable effect level (NOEL) for systemic toxicity of microencapsulated methyl bromide was considered to be 50 ppm (equivalent to 2.20 mg/kg/day for males and 2.92 mg/kg/day for females). The low observable effect level (LOEL) was considered to be 250 ppm (equivalent to 11.10 mg/kg/day for males and 15.12 mg/kg/day for females) based on reduced food consumption, body weight gains and body weights noted during the first 12 to 18 months of the study. Methyl bromide was not oncogenic upon dietary administration for two years.

In a two year inhalation study in B6C3FI mice, exposed to levels of 0, 10, 33 or 100 ppm for 6 hours per day, 5 days per week, degenerative changes in the cerebellum and cerebrum, myocardial degeneration and cardiomyopathy, sternal dysplasia, and olfactory epithelial necrosis and metaplasia were observed. There was no evidence of carcinogenic activity.

In an EPA/NIH sponsored epidemiology study entitled Agricultural Health Study, pesticides were evaluated based on cancer related deaths and questionnaire results provided by farmers, nursery workers and commercial pesticide applica-

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

tors in Iowa and North Carolina. Results associated methyl bromide with an increase in prostate cancer risk in pesticide applicators. Exposures to methyl bromide were not confirmed. Incidence and intensity estimations were based solely on self-reporting via a questionnaire. Although the interpretation of the data collected in the study led to a statistically significant increase in prostate cancer risk for methyl bromide applicators, the authors could not rule out the possibility that the observations may have occurred by chance alone and findings need to be confirmed.

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **bromomethane:**

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 0.8 mg/l  
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 4.18 mg/l  
Exposure time: 96 h

LC50 (Menidia beryllina (Silverside)): 12 mg/l  
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 17 mg/l  
Exposure time: 4 h

Toxicity to daphnia and other : EC50: 2 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : IC50: 3.2 mg/l  
plants Exposure time: 48 h

#### **Persistence and degradability**

No data available

#### **Bioaccumulative potential**

##### Components:

##### **bromomethane:**

Partition coefficient: n- : log Pow: ca. 1.99 (77 °F / 25 °C)  
octanol/water

#### **Mobility in soil**

No data available

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

### Other adverse effects

#### Product:

Additional ecological information : Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).  
Toxic to aquatic organisms.  
Toxic to terrestrial vertebrates.  
Toxic to terrestrial invertebrates.

#### Components:

##### **bromomethane:**

Ozone-Depletion Potential : 0.6  
Regulation: UNEP - Handbook for the Montreal Protocol on Substances that Deplete the Ozone Layer (Update: 2009-10-01)  
Group: Annex E - Group I: Methyl bromide

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

RCRA - Resource Conservation and Recovery Authorization Act : If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste from residues : Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil.  
In accordance with local and national regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of as unused product.  
Empty pressure vessels should be returned to the supplier.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **IATA-DGR**

Not permitted for transport

---

# SAFETY DATA SHEET

## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

### IMDG-Code

UN number : UN 1062  
Proper shipping name : METHYL BROMIDE  
  
Class : 2.3  
Packing group : Not assigned by regulation  
Labels : 2.3  
:



EmS Code : F-C, S-U  
Marine pollutant : yes



### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 1062  
Proper shipping name : Methyl bromide  
  
Class : 2.3  
Packing group : Not assigned by regulation  
Labels : 2.3  
:



ERG Code : 123  
RQ : 1,000 lb  
Note : Hazard Zone C  
Marine pollutant : yes



The U.S. DOT regulations in Appendix B to 49 CFR § 172.101, paragraph 4 permit this material to ship as marine pollutant.

Hazard and Handling Notes. : Toxic., Keep well ventilated., Keep separated from foodstuffs

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
bromomethane	74-83-9	1000	1000
Methyl Chloride	74-87-3	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
bromomethane	74-83-9	1000

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Acute toxicity (any route of exposure)  
Germ cell mutagenicity  
Specific target organ toxicity (single or repeated exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

bromomethane    74-83-9                      >= 90 - <= 100 %

### US State Regulations

#### Massachusetts Right To Know

bromomethane    74-83-9                      90 - 100

#### Pennsylvania Right To Know

bromomethane    74-83-9                      90 - 100

#### California Prop. 65

WARNING: This product can expose you to chemicals including bromomethane, Methyl Chloride, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### International Regulations

Montreal Protocol    : bromomethane

### TSCA inventory

TSCA    : This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

---

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### FIFRA information

LANXESS Corporation doing business as Great Lakes Chemical Corporation

EPA registration number : 5785-41

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word : DANGER

Hazard Statements : Extremely hazardous liquid and vapor under pressure. Inhalation may be fatal or cause serious acute illness or delayed lung or nervous system injury which may have a delayed onset. This product contains chloropicrin which is very irritating to the upper respiratory tract, and even at low levels can cause painful irritation to the nose, throat, and eyes, producing tearing. Continued exposure after irritation, or higher concentrations, may cause painful irritation to the eyes or temporary blindness which may cause panic that may in turn lead to further accidents.

---

## SECTION 16. OTHER INFORMATION

### Further information




# SAFETY DATA SHEET

## Meth-O-Gas® Q

Version 1.1      Revision Date: 11/20/2020      SDS Number: 203000018552      Date of last issue: 10/12/2020  
Country / Language: US / EN

### NFPA 704:



### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		4
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
OSHA Z-1 / C : Ceiling

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances;

# SAFETY DATA SHEET



## Meth-O-Gas® Q

Version	Revision Date:	SDS Number:	Date of last issue: 10/12/2020
1.1	11/20/2020	203000018552	Country / Language: US / EN

---

(Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 11/20/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.